

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830



## Remover AR 300-76

Material number AR 300-76

Revision date: 3/4/2018  
Version: 4

Language: en-GB,IE

Date of print: 5/4/2018  
Page: 1 of 8

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name: Remover AR 300-76

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: Intermediate for electronic industry  
Reserved for industrial and professional use.

### 1.3 Details of the supplier of the safety data sheet

Company name: Allresist  
Gesellschaft für chemische Produkte zur Mikrostrukturierung mbH  
Street/POB-No.: Am Biotop 14  
Postal Code, city: 15344 Strausberg  
Germany  
WWW: [www.allresist.de](http://www.allresist.de)  
E-mail: [info@allresist.de](mailto:info@allresist.de)  
Telephone: +49 (0)33 41-35 93-0  
Telefax: +49 (0)33 41-35 93-29  
Dept. responsible for information:  
Frau Feldt, Email: [doerte.feldt@allresist.de](mailto:doerte.feldt@allresist.de)

### 1.4 Emergency telephone number

Telephone: +49 (0)33 41-35 93-0  
Only available during office hours.

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification according to EC regulation 1272/2008 (CLP)

This mixture is classified as not hazardous.

### 2.2 Label elements

#### Labelling (CLP)

Hazard statements: not applicable

Precautionary statements: not applicable

### 2.3 Other hazards

Vapours can form explosive mixtures with air.  
Special danger of slipping by leaking/spilling product.

Results of PBT and vPvB assessment:  
No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830



## Remover AR 300-76

Material number AR 300-76

Revision date: 3/4/2018  
Version: 4

Language: en-GB,IE

Date of print: 5/4/2018  
Page: 2 of 8

### SECTION 3: Composition / information on ingredients

3.1 Substances: not applicable

#### 3.2 Mixtures

Chemical characterisation: Dibasic Esters (DBE): reaction mass of Dimethyl glutarate, Dimethyl adipate and Dimethyl succinate.

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

- In case of inhalation: Move victim to fresh air; if necessary, provide artificial respiration or oxygen. Seek medical treatment in case of troubles.  
If victim is at risk of losing consciousness, position and transport on their side.
- Following skin contact: Thoroughly wash skin with soap and water. Take off contaminated clothing and wash it before reuse. In case of skin reactions, consult a physician.
- After eye contact: Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. Subsequently consult an ophthalmologist.
- After swallowing: Rinse mouth and drink large quantities of water. Seek medical attention.  
Do not induce vomiting. Never give anything by mouth to an unconscious person.

#### 4.2 Most important symptoms and effects, both acute and delayed

No data available

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

Suitable extinguishing media:

Water spray jet, extinguishing powder, carbon dioxide.  
In case of large fires: water spray jet or alcohol resistant foam.

Extinguishing media which must not be used for safety reasons:

Full water jet

#### 5.2 Special hazards arising from the substance or mixture

Combustible. Vapours can form explosive mixtures with air.  
In case of fire may be liberated: carbon monoxide and carbon dioxide.

#### 5.3 Advice for firefighters

Special protective equipment for firefighters:

Wear self-contained positive pressure breathing apparatus and full firefighting protective clothing.

Additional information: Hazchem-Code: -

Use fine water spray to cool endangered containers. Danger of bursting container. Fire residuals and contaminated extinguishing water must be disposed of in accordance with the regulations of the local authorities. Suppress gases/vapours/mists with water spray jet.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830



## Remover AR 300-76

Material number AR 300-76

Revision date: 3/4/2018  
Version: 4

Language: en-GB,IE

Date of print: 5/4/2018  
Page: 3 of 8

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Eliminate all ignition sources if safe to do so. Keep unprotected people away.  
Avoid contact with skin and eyes. Wear suitable protective clothing.  
Provide adequate ventilation. Do not breathe vapour/aerosol. Take off contaminated clothing and wash it before reuse.

#### 6.2 Environmental precautions

Do not allow to enter into ground-water, surface water or drains.  
In case of release, notify competent authorities.

#### 6.3 Methods and material for containment and cleaning up

Soak up with absorbent materials such as sand, siliceus earth, acid- or universal binder.  
Store in special closed containers and dispose of according to ordinance.

Additional information: Special danger of slipping by leaking/spilling product.

#### 6.4 Reference to other sections

Refer additionally to section 8 and 13.

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Advices on safe handling: Provide adequate ventilation, and local exhaust as needed. Avoid the formation of aerosol. Do not breathe vapour/aerosol.  
Avoid contact with skin and eyes. Wear appropriate protective equipment.  
Take off contaminated clothing and wash it before reuse. Wash hands before breaks and immediately after handling the product. Work place should be equipped with a shower and an eye rinsing apparatus.

Precautions against fire and explosion:

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Do not weld. Vapours can form explosive mixtures with air.

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers:

Keep container tightly closed in a cool, well-ventilated place. Store in a dry place.  
Keep away from sources of ignition and heat. Protect from heat and direct sunlight.  
Storage temperature: 10 - 22 °C.

Hints on joint storage:

Do not store together with strong acids, alkalis or strong oxidizing agents.  
Keep away from food, drink and animal feedingstuffs.

#### 7.3 Specific end use(s)

No information available.

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

Additional information: Contains no substances with occupational exposure limit values.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830



## Remover AR 300-76

Material number AR 300-76

Revision date: 3/4/2018  
Version: 4

Language: en-GB,IE

Date of print: 5/4/2018  
Page: 4 of 8

**DNEL/DMEL:** Information about Dimethyl succinate:  
DNEL long-term, workers, inhalative, systemic: 33.5 mg/m<sup>3</sup>  
DNEL short-term, workers, inhalative, systemic: 67 mg/m<sup>3</sup>  
DNEL long-term, workers, inhalative, local: 1.1 mg/kg bw/d  
DNEL short-term, workers, inhalative, local: 1.1 mg/kg bw/d  
Information about Dibasic Esters (DBE):  
DNEL Long-term, workers, inhalative: 8.3 mg/m<sup>3</sup>

**PNEC:** Information about Dimethyl succinate:  
PNEC water (freshwater): 50 µ/L  
PNEC water (marine water): 5 µg/L  
PNEC water (intermittent release): 500 µg/L  
PNEC sediment (freshwater): 137 µ/kg  
PNEC sediment (marine water): 14 µ/kg  
PNEC soil): 137 µ/kg  
PNEC sewage treatment plant): 10,000 mg/L  
Information about Dibasic Esters (DBE):  
PNEC water (freshwater): 0.018 mg/L  
PNEC water (marine water): 0.0018 mg/L  
PNEC water (intermittent release): 0.18 mg/L  
PNEC sediment (freshwater): 0.16 mg/kg dwt  
PNEC sediment (marine water): 0.016 mg/kg dwt  
PNEC soil: 0.09 mg/kg dwt  
PNEC sewage treatment plant: 10 mg/L

## 8.2 Exposure controls

Provide for good ventilation or exhaust system or work with completely self-contained equipment. Explosion protection required.

## Personal protection equipment

### Occupational exposure controls

**Respiratory protection:** Respiratory protection must be worn whenever the WEL levels have been exceeded. Use filter type A according to EN 14387.

**Hand protection:** Protective gloves according to EN 374.  
Glove material: butyl caoutchouc (butyl rubber) - Layer thickness: >=0.5 mm  
Breakthrough time: >= 480 min  
Unsuitable materials: polychloroprene (CR), polyvinyl chloride (PVC), fluoro rubber (FKM), nitrile rubber (NBR).  
Observe glove manufacturer's instructions concerning penetrability and breakthrough time.

**Eye protection:** Tightly sealed goggles according to EN 166.

**Body protection:** Wear suitable protective clothing.

**General protection and hygiene measures:**  
Avoid contact with skin and eyes. Do not breathe vapour/aerosol. Take off contaminated clothing and wash it before reuse.  
When using do not eat, drink or smoke. Wash hands before breaks and after work.  
Work place should be equipped with a shower and an eye rinsing apparatus.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

**Appearance:** Physical state at 20 °C and 101.3 kPa: liquid  
Colour: colourless

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830



## Remover AR 300-76

Material number AR 300-76

Revision date: 3/4/2018  
Version: 4

Language: en-GB,IE

Date of print: 5/4/2018  
Page: 5 of 8

Odour:	sweet
Odour threshold:	not determined
pH value:	not determined
Melting point/freezing point:	-20 °C
Initial boiling point and boiling range:	196 - 225 °C
Flash point/flash point range:	100 °C
Evaporation rate:	not determined
Flammability:	not applicable
Explosion limits:	LEL (Lower Explosion Limit): 0.90 Vol-% UEL (Upper Explosive Limit): 8.00 Vol-%
Vapour pressure:	at 20 °C: 0.08 hPa
Vapour density:	not determined (Air = 1)
Density:	at 20 °C: 1.092 g/mL
Water solubility:	at 20 °C: 53 g/L
Partition coefficient: n-octanol/water:	not determined
Auto-ignition temperature:	not self-igniting
Decomposition temperature:	not determined
Viscosity, dynamic:	2.6 mPa*s
Viscosity, kinematic:	not determined
Explosive properties:	Product is not explosive. Vapours can form explosive mixtures with air.
Oxidizing characteristics:	not oxidising

## 9.2 Other information

Ignition temperature: 370 °C

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Vapours can form explosive mixtures with air.

### 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

Heating will lead to pressure increase: Danger of bursting and explosion.

### 10.4 Conditions to avoid

To avoid thermal decomposition, do not overheat. Keep away from heat sources, sparks and open flames.  
Protect against direct sunlight.

### 10.5 Incompatible materials

Strong acids, alkalis, strong oxidizing agents.

### 10.6 Hazardous decomposition products

Carbon monoxide and carbon dioxide.

Thermal decomposition: not determined

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830



## Remover AR 300-76

Material number AR 300-76

Revision date: 3/4/2018  
Version: 4

Language: en-GB,IE

Date of print: 5/4/2018  
Page: 6 of 8

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Acute toxicity: LD50 Rat, oral: > 5000 mg/kg  
LD50 Rat, dermal: > 5000 mg/kg

Toxicological effects: Acute toxicity (oral): Based on available data, the classification criteria are not met.  
Acute toxicity (dermal): Based on available data, the classification criteria are not met.  
Acute toxicity (inhalative): Based on available data, the classification criteria are not met.  
Skin corrosion/irritation: Based on available data, the classification criteria are not met.  
Serious eye damage/irritation: Lack of data.  
Sensitisation to the respiratory tract: Based on available data, the classification criteria are not met.  
Skin sensitisation: Based on available data, the classification criteria are not met.  
Germ cell mutagenicity/Genotoxicity: Based on available data, the classification criteria are not met.  
Carcinogenicity: Based on available data, the classification criteria are not met.  
Reproductive toxicity: Based on available data, the classification criteria are not met.  
Effects on or via lactation: Lack of data.  
Specific target organ toxicity (single exposure): Based on available data, the classification criteria are not met.  
Specific target organ toxicity (repeated exposure): Based on available data, the classification criteria are not met.  
Aspiration hazard: Based on available data, the classification criteria are not met.

### Symptoms

After contact with skin: mild irritant

## SECTION 12: Ecological information

### 12.1 Toxicity

Aquatic toxicity: Algae toxicity:  
EC50 algae: 46.9 mg/L/72h  
NOEC algae: 36 mg/L/72h  
LOEC algae: 85 mg/L/72h  
Daphnia toxicity:  
LC50 Daphnia magna (Big water flea): 17 mg/L/48h  
Fish toxicity:  
LC50 Lepomis macrochirus (bluegill): 7.5 mg/L/96h

### 12.2 Persistence and degradability

Further details: Biodegradability:  
87 %/28 d.  
Product is readily biodegradable.

### 12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water:  
not determined

### 12.4 Mobility in soil

No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830



## Remover AR 300-76

Material number AR 300-76

Revision date: 3/4/2018  
Version: 4

Language: en-GB,IE

Date of print: 5/4/2018  
Page: 7 of 8

### 12.5 Results of PBT and vPvB assessment

No data available

### 12.6 Other adverse effects

General information: Do not allow to enter into ground-water, surface water or drains.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Product

Waste key number: 07 07 08\* = other still bottoms and reaction residues  
\* = Evidence for disposal must be provided.

Recommendation: Dispose of waste according to applicable legislation.  
Do not dispose of with household waste.  
Do not empty into drains.

#### Contaminated packaging

Recommendation: Dispose of waste according to applicable legislation. Handle contaminated packages in the same way as the substance itself. Non-contaminated packages may be recycled.

## SECTION 14: Transport information

### 14.1 UN number

ADR/RID, IMDG, IATA-DGR:  
not applicable

### 14.2 UN proper shipping name

ADR/RID, IMDG, IATA-DGR:  
Not restricted

### 14.3 Transport hazard class(es)

ADR/RID, IMDG, IATA-DGR:  
not applicable

### 14.4 Packing group

ADR/RID, IMDG, IATA-DGR:  
not applicable

### 14.5 Environmental hazards

Marine pollutant: no

### 14.6 Special precautions for user

No dangerous good in sense of these transport regulations.

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830



## Remover AR 300-76

Material number AR 300-76

Revision date: 3/4/2018  
Version: 4

Language: en-GB,IE

Date of print: 5/4/2018  
Page: 8 of 8

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

##### National regulations - Great Britain

Hazchem-Code: -  
No data available

##### National regulations - EC member states

Volatile organic compounds (VOC):  
100 % by weight = 1092 g/L

#### 15.2 Chemical Safety Assessment

For this mixture a chemical safety assessment is not required.

### SECTION 16: Other information

#### Further information

Reason of change: Changes in section 2: classification  
General revision  
Date of first version: 4/3/2015

#### Department issuing data sheet

Contact person: see section 1: Dept. responsible for information

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.



[www.sumdat.com/approved](http://www.sumdat.com/approved)