

**BREWER SCIENCE INC.
SAFETY DATA SHEET**

This Safety Data Sheet has been prepared to comply with the EC Directive, Canadian WHMIS and the OSHA Hazard Communication Standard.

**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/PREPARATION
AND THE COMPANY/UNDERTAKING**

Product Identifier

Trade Name WaferBOND® Remover

Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Product Use: Demount Dissolution Fluid

Details of the Supplier of the Safety Data Sheet

Manufacturer: Brewer Science, Inc.
2401 Brewer Drive
Rolla, MO 65401
Information Phone Number: (573) 364-0300
Fax Number (573) 368-3318
E-mail msds@brewerscience.com

Emergency Telephone Number

Emergency Spill Information Chemtrec Domestic North America: (800) 424-9300
Chemtrec International: (703) 527-3887

SDS Date of Preparation: 1/31/06

SECTION 2: HAZARDS IDENTIFICATION

Classification of the Substance or Mixture

GHS Classification:

Aspiration Toxicity Category 1

Skin Irritation Category 2

Flammable Liquid Category 4

EU Classification:

Xn R38, R65, R66, R67

Label Elements

Danger!



Contains: 1-Dodecene

Hazard Phrases

| | |
|------|-----------------------------------------------|
| H227 | Combustible liquid. |
| H315 | Causes skin irritation. |
| H304 | May be fatal if swallowed and enters airways. |

Precautionary Phrases

| | |
|--------|----------------------------------------------------------------------------|
| P210 | Keep away from heat/sparks/open flames/hot surfaces. – No smoking. |
| P264 | Wash thoroughly after handling. |
| P280 | Wear protective gloves/protective clothing/eye protection/face protection. |
| P301 + | IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. |

| | |
|----------------------------|------------------------------|
| Prepared By: | Safety & Environmental Units |
| Approved By: | Safety & Environmental Units |
| Issue/Revision Date | F.7.6.2576.E / 9/14/10 |

| | |
|-------------|--------------------------------------------------------------------------------------|
| P310 | |
| P331 | Do NOT induce vomiting. |
| P302 + P352 | IF ON SKIN: Wash with plenty of soap and water. |
| P362 | Take off contaminated clothing and wash before reuse. |
| P332 + P313 | If skin irritation occurs: Get medical advice/ attention. |
| P370 + P378 | In case of fire: Use water fog, foam, carbon dioxide or dry chemical for extinction. |
| P403 + P235 | Store in a well-ventilated place. Keep cool. |
| P405 | Store locked up. |
| P501 | Dispose of contents/container in accordance with local and national regulations. |

Other Hazards: EUH066 Repeated exposure may cause skin dryness or cracking.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Mixtures

| Chemical Name | CAS# / | EINECS# | EU Classification (67/548/EEC) | GHS Classification | % |
|---------------|----------|-----------|-----------------------------------|-------------------------------------------------------------------------------|------|
| 1-Dodecene | 112-41-4 | 203-968-4 | Xn R38, R65, R66 | Asp. Tox 1 (H304), Skin Irrit. 2,(H315), , Flam Liq. 4 (H227), EH066 | >95% |

See Section 16 for further information on GHS and EU Classifications.

SECTION 4: FIRST AID MEASURES

Description of First Aid Measures

Eye: Rinse thoroughly with water for at least 15 minutes, holding the eye lids open to be sure the material is washed out. Get immediate medical attention.

Skin: Remove contaminated clothing. Wash contact area thoroughly with soap and water. Get medical attention if irritation or symptoms of exposure develop. Launder clothing before re-use.

Inhalation: Remove victim to fresh air. Give artificial respiration if needed. If breathing is difficult, oxygen should be administered by qualified personnel. Get immediate medical attention.

Ingestion: Aspiration hazard: do not induce vomiting. Keep the victim calm and warm. Get immediate medical attention

Most important symptoms and effects, both acute and delayed: Causes skin irritation. Vapors may cause dizziness, drowsiness and other central nervous systems effects. May cause aspiration during swallowing or vomiting.

Indication of any immediate medical attention and special treatment needed: None known

SECTION 5: FIRE FIGHTING MEASURES

Extinguishing Media: Use water fog, foam, carbon dioxide or dry chemical.

Special Hazards Arising from the Substance or Mixture

Unusual Fire and Explosion Hazards: Vapors are heavier than air and may travel along surfaces to remote ignition sources and flash back. Vapors may form explosive mixtures with air in confined areas.

Hazardous Decomposition Products: Oxides of carbon.

Special Protective Actions for Fire-Fighters:

Special Fire Fighting Procedures: Wear an approved, positive pressure, self-contained breathing apparatus and full protective

| | |
|---------------------|------------------------------|
| Prepared By: | Safety & Environmental Units |
| Approved By: | Safety & Environmental Units |
| Issue/Revision Date | F.7.6.2576.E / 9/14/10 |

clothing. Cool fire exposed containers with water.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures:

Remove all ignition sources such as open flames, spark producing equipment, pilot lights, etc. Wear appropriate protective clothing to prevent eye and skin contact including impervious gloves, safety goggles and respirator if needed. Ventilate area.

Environmental Precautions:

Report spills and releases as required to appropriate authorities.

Methods and Material for Containment and Cleaning Up:

Cover with an inert absorbent material and collect into an appropriate container for disposal

Reference to Other Sections: None

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling: Avoid breathing vapors, aerosols and mists. Use with adequate ventilation. Avoid contact with the eyes, skin and clothing. Always wear impervious gloves, chemical safety goggles and protective clothing when handling this material. Wash thoroughly after handling. Do not eat, drink or smoke in the work area. Keep product away from heat, sparks, flames and all other sources of ignition. No smoking in storage or use areas. Keep containers closed when not in use.

Conditions for Safe Storage, Including any Incompatibilities: Store in a cool, dry, well-ventilated location away from incompatible materials. Keep containers closed when not in use.

Specific end use(s): Industrial use only

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters:

| Chemical Name | Exposure Limits |
|---------------|------------------|
| 1-Dodecene | None Established |

Exposure Controls:

Ventilation: Use with adequate general or local exhaust ventilation to maintain exposure levels below the occupational exposure limits. Use explosion proof electrical equipment and wiring where required.

Respiratory Protection: If needed, an approved respirator with organic vapor cartridges may be used. For higher exposures, a supplied air respirator may be required. Respirator selection and use should be based on contaminant type, form and concentration. Follow applicable regulations and good Industrial Hygiene practice.

Skin Protection: Impervious gloves are recommended. Suggested materials for protective gloves include: Nitrile Rubber, or Viton.

Eye Protection: Chemical safety goggles recommended.

Other Protective Equipment: Impervious clothing as needed to prevent skin contact and contamination of personal clothing. An eye wash facility and safety shower should be available in the work area.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic Physical and Chemical Properties

| | |
|----------------------------------------------------|-----------------------------------------------------------|
| Appearance Clear, colorless liquid | Vapor Density: 5.81 |
| Odor: Mild, pleasant odor. | Specific Gravity: 0.76 @ 15.6°C (60°F) |
| Odor Threshold: No data available | Water Solubility: Insoluble |
| pH: Not available | Octanol/Water Partition Coefficient: Not available |
| Melting Point/Freezing Point: -35°C (-31°F) | Autoignition Temperature: 225°C (437°F) |
| Boiling Point: 213°C | Decomposition Temperature |
| Flash Point: 77.2°C (171°F) | Viscosity: 0.67 cST @ 100°C |
| Evaporation Rate: Not available | Explosion Properties: Not available |
| Prepared By: | Safety & Environmental Units |
| Approved By: | Safety & Environmental Units |
| Issue/Revision Date | F.7.6.2576.E / 9/14/10 |

| | |
|--------------------------------------------------------|-------------------------------------------|
| Flammable Limits: LEL: 0.6 vol % UEL: 5.4 vol % | Oxidizing Properties Not available |
| Vapor Pressure: 1 mm Hg @ 50°C | |

| |
|---------------------------------------------|
| SECTION 10: STABILITY AND REACTIVITY |
|---------------------------------------------|

Reactivity: Not reactive

Chemical Stability: Stable

Possibility of Hazardous Reactions: Will not occur.

Conditions to Avoid: Keep away from heat, sparks, flames and other sources of ignition.

Incompatible Materials: Strong oxidizing agents.

Hazardous Decomposition Products: Combustion will produce oxides of carbon.

| |
|----------------------------------------------|
| SECTION 11: TOXICOLOGICAL INFORMATION |
|----------------------------------------------|

Information on Toxicological Effects:

Potential Health Effects:

Eye: May cause slight to moderate irritation with redness and blurred vision. Corneal injury is unlikely.

Skin: Cause skin irritation with redness, irritation and dryness. Prolonged or repeated exposure may cause defatting and dermatitis.

Inhalation: Inhalation of vapors, mists or aerosols may cause central nervous system depression with symptoms of headache, dizziness, nausea, drowsiness and unconsciousness may also occur.

Ingestion: Swallowing may cause central nervous system depression with headache, nausea, dizziness and unconsciousness; gastrointestinal irritation with nausea, vomiting and diarrhea and injury to the lungs and brain.

Chronic Hazards: No chronic effects are anticipated.

Medical Conditions Aggravated by Exposure: Pre-existing skin diseases.

Acute Toxicity Values:

1-Dodecene: Oral rat LD50 >10,000 mg/kg; Dermal rabbit LD50 >10,000 mg/kg; Inhalation rat LC50 >4,400 mg/m³/6 hours

Irritation: No test data is available. This product is not expected to cause eye irritation. This product is irritating to skin.

Corrosivity: This product is not a corrosive material.

Sensitization: This product was found to be negative in a skin sensitization test with guinea pigs. .

Repeat Dose Toxicity: No test data is available.

Carcinogen Status: None of the components of this product are listed as carcinogens by OSHA, IARC, NTP, ACGIH, or the EU Dangerous Substances Directive.

Mutagenicity: In vitro chromosome aberration in rats liver cells were negative. Mitotic gene conversion assay was negative.

Toxicity for Reproduction: No test data is available. This product is not expected to cause reproductive toxicity.

| |
|-------------------------------------------|
| SECTION 12: ECOLOGICAL INFORMATION |
|-------------------------------------------|

Toxicity

No ecotoxicity data is available. This product is not expected to be harmful to aquatic organisms based a data from a similar material.

Persistence and Degradability: This product is expected to readily biodegradable.

Bioaccumulative Potential: No data available

| | |
|----------------------------|------------------------------|
| Prepared By: | Safety & Environmental Units |
| Approved By: | Safety & Environmental Units |
| Issue/Revision Date | F.7.6.2576.E / 9/14/10 |

Mobility in Soil: No data available

Results of PBT and vPvB Assessment: No data available

Other Adverse Effects: Not applicable

SECTION 13: DISPOSAL INFORMATION

Waste Treatment Methods

Dispose in accordance with all local, state and federal regulations.

SECTION 14: TRANSPORT INFORMATION

| | UN Number | UN Proper Shipping Name | Hazard Class(s) | Packing Group | Environmental Hazards |
|-----------|-----------|-------------------------------------------|--------------------|----------------|-----------------------|
| US DOT | NA1993 | Combustible Liquid, n.o.s. (1-Dodecene) * | Combustible Liquid | Not applicable | Not applicable |
| IATA/ICAO | | Not Regulated | | | Not applicable |

*Excepted from HazMat in Non-Bulk Packaging

Special Precautions for User: Not applicable

Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code: Not Regulated

SECTION 15: REGULATORY INFORMATION

Safety, Health and Environment Regulations/Legislation Specific for the Substance or Mixture:

U.S. FEDERAL REGULATIONS:

CERCLA 103 Reportable Quantity: This product is not subject to reporting under CERCLA. Some states have more stringent reporting requirements. Report all spills in accordance with local, state, and federal regulations.

SARA TITLE III:

Hazard Category for Section 311/312: Acute Health, Fire Hazard

Section 313 Toxic Chemicals: This product contains the following chemicals subject to SARA Title III Section 313 Reporting requirements: None

Section 302 Extremely Hazardous Substances (TPQ): None

EPA Toxic Substances Control Act (TSCA) Status: All of the components of this product are listed in the TSCA inventory.

STATE REGULATIONS:

California Proposition 65: These products contain the following substances known to the State of California to cause cancer and/or reproductive toxicity: None known

INTERNATIONAL REGULATIONS:

Canadian Environmental Protection Act: All of the components of this product are listed on the Canadian Domestic Substances List (DSL).

European Inventory of Commercial Chemical Substances: All of the components of this product are listed on the EINECS inventory.

| | |
|---------------------|------------------------------|
| Prepared By: | Safety & Environmental Units |
| Approved By: | Safety & Environmental Units |
| Issue/Revision Date | F.7.6.2576.E / 9/14/10 |

Chemical Safety Assessment: No data available

| |
|--------------------------------------|
| SECTION 16: OTHER INFORMATION |
|--------------------------------------|

HMIS Ratings: Health – 1 Flammability - 2 Reactivity - 0

NFPA Ratings: Health - 1 Flammability - 2 Reactivity - 0

SDS Revision History:

1/31/06: New SDS

12/18/08: Updated format for REACH. Removing references to NIOSH. Changed wording for respiratory protection, carcinogen status, CERCLA, and California Proposition 65. Changed MSDS to SDS.

3/25/09: Updated Skin Protection statement in Section 8.

5/28/10 Revised Proper Shipping Name

9/14/10: Complete review of SDS. Converted SDS to a Universal GHS SDS.

GHS Phrases for Reference (See Section 2 and 3):

Asp. Tox 1 Aspiration Hazard Category 1

Skin Irrit. 2 Skin Irritation Category 2

Flam Liq 4 Flammable Liquid Category 4

H227 Combustible liquid.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

EUH066 Repeated exposure may cause skin dryness or cracking.

EU Classes and Risk Phrases for Reference (See Sections 2 and 3):

Xn Harmful

R38 Irritating to skin

R65 Harmful: may cause lung damage if swallowed

R66 Repeated exposure may cause skin dryness or cracking

=====

This above information is believed to be correct but does not propose to be all inclusive and shall be used only as a guide. Brewer Science, Inc. shall not be held liable for any damage resulting from handling or from contact with the above product.

| | |
|----------------------------|-----------------------------------------|
| Prepared By: | Safety & Environmental Units |
| Approved By: | Safety & Environmental Units |
| Issue/Revision Date | F.7.6.2576.E / 9/14/10 |