SIGMA-ALDRICH

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 Version 5.1 Revision Date 04.02.2013 Print Date 26.04.2013 GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifiers Product name	:	1-Methyl-2-pyrrolidinone
	Product Number Brand Index-No. REACH No. CAS-No.	:	69118 Sigma-Aldrich 606-021-00-7 01-2119472430-46-XXXX 872-50-4
1.2	Relevant identified uses of the substance or mixture and uses advised against		
	Identified uses	:	Laboratory chemicals, Manufacture of substances
1.3	Details of the supplier of the safety data sheet		
	Company	:	Sigma-Aldrich Chemie GmbH Industriestrasse 25 CH-9471 BUCHS
	Telephone Fax E-mail address	:	+41 81-755-2511 +41 81-756-5449 eurtechserv@sial.com
1.4	Emergency telephone nur	mergency telephone number	
	Emergency Phone #	:	+41 81-755-2255 145(CH) +41 44-251-5151 (Tox-Zentrum)

SECTION 2: Hazards identification

Irritant

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 Eye irritation (Category 2), H319 Skin irritation (Category 2), H315 Reproductive toxicity (Category 1B), H360D Specific target organ toxicity - single exposure (Category 3), H335

For the full text of the H-Statements mentioned in this Section, see Section 16.

Classification according to EU Directives 67/548/EEC or 1999/45/EC

R61
R36/37/38

For the full text of the R-phrases mentioned in this Section, see Section 16.

2.2 Label elements

Xi

Labelling according Regulation (EC) No 1272/2008
Pictogram



Danger

Hazard statement(s) H315 H319

Causes skin irritation. Causes serious eye irritation.

H335 H360D	May cause respiratory irritation. May damage the unborn child.
Precautionary statement(s)	
P201	Obtain special instructions before use.
P261	Avoid breathing vapours.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P313	IF exposed or concerned: Get medical advice/ attention.
Supplemental Hazard Statements	none

Restricted to professional users.

2.3 Other hazards - none

SECTION 3: Composition/information on ingredients

3.1 Substances

Synonyms	:	N-Methyl-2-pyrrolidone 1-Methyl-2-pyrrolidone NMP M-PYROL™
Formula	:	C ₅ H ₉ NO
Molecular Weight	:	99,13 g/mol
CAS-No.	:	872-50-4
EC-No.	:	212-828-1
Index-No.	:	606-021-00-7
Registration number	:	01-2119472430-46-XXXX

Hazardous ingredients according to Regulation (EC) No 1272/2008

Component	Classification	Concentration
N-methyl-2-pyrrolidone Included in the Candidate List of Substances of Very High Concern (SVHC) according to Regulation (EC) No. 1907/2006 (REACH)		
	Skin Irrit. 2; Eye Irrit. 2; Repr. 1B; STOT SE 3; H315, H319, H335, H360D	-
Hazardous ingredients according to Directive 1999/45/EC		

Component Classification Concentration N-methyl-2-pyrrolidone Included in the Candidate List of Substances of Very High Concern (SVHC) according to Regulation (EC) No. 1907/2006 (REACH) T, Repr.Cat.2, R61 - R36/37/38

For the full text of the H-Statements and R-Phrases mentioned in this Section, see Section 16

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed no data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

- 5.2 Special hazards arising from the substance or mixture Carbon oxides, nitrogen oxides (NOx)
- **5.3** Advice for firefighters Wear self contained breathing apparatus for fire fighting if necessary.

5.4 Further information

Use water spray to cool unopened containers.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Store under inert gas. Moisture sensitive.

7.3 Specific end use(s)

A part from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Components with workplace control parameters

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Full contact Material: butyl-rubber Minimum layer thickness: 0,3 mm Break through time: 480 min Material tested:Butoject® (KCL 897 / Aldrich Z677647, Size M)

Splash contact Material: Nature latex/chloroprene Minimum layer thickness: 0,6 mm Break through time: 30 min Material tested:Lapren® (KCL 706 / Aldrich Z677558, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

impervious clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a) Appearance

Form: liquid Colour: colourless

	b) Odour		no data available
	c) Odour Threshold		no data available
	d)	рН	7,7 - 8
	e)	Melting point/freezing point	Melting point/range: -24 °C
	f)	Initial boiling point and boiling range	202 °C 81 - 82 °C at 13 hPa
	g)	Flash point	91 °C - closed cup
	h)	Evapouration rate	no data available
	i)	Flammability (solid, gas)	no data available
	j)	Upper/lower flammability or explosive limits	Upper explosion limit: 9,5 %(V) Lower explosion limit: 1,3 %(V)
	k)	Vapour pressure	0,39 - 0,43 hPa at 20 °C 1,32 hPa at 40 °C
	I)	Vapour density	3,42 - (Air = 1.0)
	m)	Relative density	1,028 g/mL at 25 °C
	n)	Water solubility	no data available
	o)	Partition coefficient: n- octanol/water	log Pow: -0,46
	p)	Auto-ignition temperature	no data available
	q)	Decomposition temperature	no data available
	r)	Viscosity	no data available
	s)	Explosive properties	no data available
	t)	Oxidizing properties	no data available
9.2	Oth	ner safety information	
		Surface tension	40,7 mN/m
		Relative vapour density	3,42 - (Air = 1.0)
SECT	ION	10: Stability and reactivi	ty
10.1			
10.2	Chemical stability Stable under recommended storage conditions.		
10.3	Possibility of hazardous reactions		
10.4	Conditions to avoid Heat, flames and sparks.		
10.5	Incompatible materials Strong acids, Strong oxidizing agents		
10.6	Hazardous decomposition products		

- 10.2
- 10.3
- 10.4
- 10.5
- 10.6 Other decomposition products - no data available In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - rat - 3.914 mg/kg

LDLO Inhalation - rat - 4 h - > 5100 ppm

LD50 Dermal - rabbit - 8.000 mg/kg

Skin corrosion/irritation no data available

Serious eye damage/eye irritation Eves - rabbit

Result: Eye irritation

Respiratory or skin sensitisation no data available

Germ cell mutagenicity no data available

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Reproductive toxicity

Damage to fetus possible

Specific target organ toxicity - single exposure

Inhalation - May cause respiratory irritation.

Specific target organ toxicity - repeated exposure no data available

Aspiration hazard no data available

Additional Information

RTECS: UY5790000

prolonged or repeated exposure can cause:, Vomiting, Diarrhoea, Abdominal pain, Rats exposed to 1methyl-2-pyrrolidinone at a concentration of 1 mg/L as an aerosol for 10 days showed depletion of hematopoietic cells in the bone marrow and atrophy of the lymphoid tissues of the thymus, spleen, and lymph nodes.

Bone marrow - Irregularities - Based on Human Evidence

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish	LC50 - other fish - 4.000 mg/l - 96 h		
	LC50 - Leuciscus idus (Golden orfe) - > 500 mg/l - 96 h		
Toxicity to daphnia and other aquatic invertebrates	EC50 - Daphnia magna (Water flea) - > 1.000 mg/l - 24 h		
\mathbf{T} = 1.20 \mathbf{r} = 1.5 \mathbf{r} = 2.5			

Toxicity to bacteria LC50 - Bacteria - > 9.000 mg/l

12.2 Persistence and degradability Biodegradability Result: 90 % - Readily biodegradable.

12.3 Bioaccumulative potential no data available

12.4 Mobility in soil

no data available

12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

no data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

This combustible material may be burned in a chemical incinerator equipped with an afterburner and scrubber. Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information			
14.1	UN number ADR/RID: -	IMDG: -	IATA: -
14.2	UN propershipping nameADR/RID:Not dangerous goodsIMDG:Not dangerous goodsIATA:Not dangerous goods		
14.3	Transport hazard class(es) ADR/RID: -	IMDG: -	IATA: -
14.4	Packaging group ADR/RID: -	IMDG: -	IATA: -
14.5	Environmental hazards ADR/RID: no	IMDG Marine pollutant: no	IATA: no
14.6	Special precautions for user no data available		

SECTION 15: Regulatory information

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Authorisations and/or restrictions on use Candidate List of Substances of Very High Concern for Authorisation Toxic for reproduction (article 57c) ED/31/2011

15.2 Chemical Safety Assessment For this product a chemical safety assessment was not carried out

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3.

Eye irritation
Causes skin irritation.
Causes serious eye irritation.
May cause respiratory irritation.
May damage the unborn child.
Reproductive toxicity
Skin irritation
Specific target organ toxicity - single exposure

Full text of R-phrases referred to under sections 2 and 3

Т	Toxic
R36/37/38	Irritating to eyes, respiratory system and skin.
R61	May cause harm to the unborn child.
Repr.Cat.2	Toxic to Reproduction Category 2

Further information

Copyright 2013 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigmaaldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.